

Vertical balers

X-series X16



RATIONAL WASTE HANDLING


The X16 is equipped with cross cylinders, thus the machine offers superior press force but also a very low overall height. Combined with a long stroke, a high bale weight can be achieved.

This baler is designed with easy servicing in mind, for example the positioning of the hydraulic unit mounted below the control panel on the side of the machine.



Technical specifications

Press force (t)	16
Power supply	3x230/400V 50Hz 25/16A
Motor (kW)	4.0
Noise level (dB)	59-60
Cycle time (sec)	15
Dimensions WxDxH (mm)	1745 x 1260 x 1995
Weight (kg)	1390
Filling opening WxH (mm)	1090 x 530
Filling height (mm)	950
Chamber height (mm)	1380
Stroke (mm)	950
Bale size WxDxH (mm)	1200 x 800 x 800
Bale weight cardboard (kg)	150-250
Bale weight plastic (kg)	200-300



1 Compact your waste and eject the finished bale. **2** Remove and store the bale until collection. **3** The bale is ejected by a safe two-hand operation. **4** The cross cylinders ensure stable compression and a low overall height.

- **Noiseless**
Due to an unique hydraulic system
- **Easy installation**
Very low overall height
- **Safe and steady opening of door**
Operated by a strong threaded spindle